

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	863	703/6.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/02/27 16:25

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	46	local adj flare	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/02/27 17:15
L2	4	("20030068565" "20040021854" "20040196447" "6233056").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/27 17:32
L3	4573	flar\$3 and mask	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/02/27 17:33
L4	1367	L3 and (lithography or photolithography)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/02/27 17:35
L6	364	L4 and (OPC or correction)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/02/27 17:52
L7	4	("20040205688" "20050055658" "6303253" "6763514").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/27 18:16

Scholar All articles Recent articles

Results 1 - 10 of about 73 for "local flare". (0.08 seconds)

All Results

Did you mean: "[local flair](#)"

[R Hynes](#)

[K Nandra](#)

[E Gotthelf](#)

[E Robinson](#)

[L Ericsson](#)

[Effectiveness and confirmation of local area flare measurement method in various pattern layouts - group of 3 »](#)

D Nam, E Lee, S Jung, YS Kang, G Yeo, J Lee, H Cho ... - Proc. SPIE, 2002 - spie.org
... The LOAFER is designed to measure the local area flare of the lens, that is, the short and mid-range flare and the **local flare** distribution of the exposure ...

Cited by 4 - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Development of 157-nm full-field scanners - group of 3 »](#)

H Hata, H Nogawa, S Suda - Proceedings of SPIE, 2004 - link.aip.org
... When compared to ArF, **local flare** increases significantly. However, it has been confirmed that **local flare** can be greatly mitigated ...

Cited by 3 - [Related Articles](#) - [Web Search](#)

[Local flare effects and correction in ArF lithography - group of 2 »](#)

T Yao, M Osawa, T Minami, N Yamamoto, H Aoyama, G ... - VLSI Technology, 2003. Digest of Technical Papers. 2003 ..., 2003 - ieeexplore.ieee.org

Page 1. 4B-1 **Local Flare** Effects and Correction in ArF Lithography Teruyoshi Yao, Morimi Osawa, Takayoshi Mind, Norihiro Yamamoto, Hajime Aoyama, Genshi Okuda, ...

Cited by 1 - [Related Articles](#) - [Web Search](#)

[Unsteady Aerodynamics of an Ablating Flared Body of Revolution Including Effect of Entropy Gradient - group of 2 »](#)

LE Ericsson - AZAA Journal, 1968 - pdf.aiaa.org
... **local flare** forces become dynamically destabilizing. ... 2 and the **local "flare"** efficiency" type of effects can easily be computed. It ...

Cited by 8 - [Related Articles](#) - [Web Search](#)

[Correction for local flare effects approximated with double Gaussian profile in ArF lithography - group of 4 »](#)

M Osawa, T Yao, H Aoyama, K Ogino, H Hoshino, Y ... - Journal of Vacuum Science & Technology B: Microelectronics ..., 2003 - link.aip.org

... been developed for correcting line width variations due to midrange flare with a scattering range of over a few tens of micrometers (which we call **local flare** ...

Cited by 1 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Application of Realistic Model Atmospheres to Eclipse Maps of Accretion Disks: The Effective ... - group of 3 »](#)

EL Robinson, JH Wood, RA Wade - The Astrophysical Journal, 1999 - journals.uchicago.edu
... 4 1 at the outer edge, giving h/r . This latter relation yields a slope of

dh/dr 0.1 at the outer edge of the disk, corresponding to a **local flare** angle of ...

Cited by 9 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[The Properties of the Relativistic Iron K-Line in NGC 3516 - group of 7 »](#)

K Nandra, IM George, RF Mushotzky, TJ Turner, T ... - The Astrophysical Journal, 1999 - journals.uchicago.edu

... the variation in the blue wing could be due to an enhancement in the illuminating flux of the inner disk portion moving toward us, due to a **local flare** (cf. ...

Cited by 117 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Relevance of TCAD to process-aware design - group of 6 »](#)

Scholar All articles Recent articles

Results 1 - 10 of about 47 for murai "area density". (0.07 seconds)

All Results

[F Murai](#)
[H Yoda](#)
[Y Zheng](#)
[M Osawa](#)
[S Okazaki](#)

[Fast proximity effect correction method using a pattern area density map - group of 4 »](#)

F **Murai**, H Yoda, S Okazaki, N Saitou, Y Sakitani - Journal of Vacuum Science & Technology B: Microelectronics ..., 1992 - link.aip.org
... using a pattern **area density** map. [Journal of Vacuum Science & Technology B: Microelectronics and Nanometer Structures 10, 3072 (1992)]. Fumio **Murai**, Haruo Yoda ...
[Cited by 17](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Proximity effect correction using pattern shape modification and area density map for electron-beam ... - group of 4 »](#)

M Osawa, K Takahashi, M Sato, H Arimoto, K Ogino, ... - Journal of Vacuum Science & Technology B: Microelectronics ..., 2001 - link.aip.org
Proximity effect correction using pattern shape modification and **area density** map for electron-beam projection lithography. [Journal ...
[Cited by 9](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Pattern fabrication method using a charged particle beam and apparatus for realizing same - group of 5 »](#)

H Yoda, F **Murai** - US Patent 5,278,421, 1994 - Google Patents
... ACHARGED PARTICLE BEAM AND APPARATUS FOR REALIZING SAME [75] Inventors: Haruo Yoda; Fumio **Murai**, both of ... posed is extremely small and that the **area density** ...
[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

[Greater number of microtubules per axon of unmyelinated fibers of mutant quails deficient in ... - group of 3 »](#)

..., M Mizutani, T Yamamoto, H Hayashi, Y **Murai** - Acta Neuropathologica, 1994 - Springer
... JX Zhao - A. Ohnishi () 9 T. Yamamoto 9 Y. **Murai** Department of Neurolog); University of ... NF per axon and per m² of the transverse axonal **area (density)** were cal ...
[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Variation in bone mineral density of the sacrum in young adults and its significance for sacral ... - group of 4 »](#)

Y Zheng, WW Lu, Q Zhu, L Qin, S Zhong, JC Leong - Spine, 2000 - spinejournal.com
... calculated from quantitative computed tomography (QCT), was used to obtain **area density** (g/cm ... Okuyama K, Sato K, Abe E, Inaba H, Shimada Y, **Murai** H. Stability ...
[Cited by 16](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Proximity effect correction using pattern shape modification and area density map - group of 4 »](#)

K Takahashi, M Osawa, M Sato, H Arimoto, K Ogino, ... - Journal of Vacuum Science & Technology B: Microelectronics ..., 2000 - link.aip.org
... F. **Murai**, H. Yoda, S. Okazaki, N. Saitou, and Y. Sakitani, "Fast proximity effect correction method using a pattern **area density** map," J. Vac. Sci. ...
[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Proximity-effect correction for EPL by using multiple pattern-area- density maps and pattern ... - group of 5 »](#)

F **Murai**, H Fukuda, S Mori, A Sato, K Nakajo - Proceedings of SPIE, 2003 - spie.org
Abstract. PUBLICATIONS. Proximity-effect correction for EPL by using multiple pattern-**area- density** maps and pattern classification **Murai**, Fumio, Hitachi, Ltd. ...
[Cited by 1](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Image area discriminating system for an image processing apparatus - group of 2 »](#)

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(local flare)" <and> (pyr >= 1950 <and> pyr <= 2004)"

Your search matched 6 of 1513808 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(local flare)" <and> (pyr >= 1950 <and> pyr <= 2004)

Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

view selected items

[Select All](#) [Deselect All](#)

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

- ☒ 1. **Local flare effects and correction in ArF lithography**
Yao, T.; Osawa, M.; Minami, T.; Yamamoto, N.; Aoyama, H.; Okuda, G.; Sawano, T.; Kamatsuki, I.; Sugimoto, F.; Futatsuya, H.; Kobayashi, K.; Ogino, K.; Hoshino, H.; Machida, Y.; Arimoto, H.; Asai, S.;
[VLSI Technology, 2003. Digest of Technical Papers, 2003 Symposium on](#)
10-12 June 2003 Page(s):43 - 44
[AbstractPlus](#) | Full Text: [PDF](#)(258 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Forward and Backward Scattered Modes in Multimode Nonuniform Transitions**
Tang, C.C.H.;
[Microwave Theory and Techniques, IEEE Transactions on](#)
Volume 16, Issue 8, Aug 1968 Page(s):494 - 502
[AbstractPlus](#) | Full Text: [PDF](#)(744 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Test structure for fixing OPC of 200 nm pitch via chain using inner and outer dummy via array**
Nasuno, T.; Matsubara, Y.; Minami, A.; Uchida, N.; Kobayashi, H.; Aoyama, H.; Tsuda, H.; Tsujita, K.; Wakamiya, W.; Kobayashi, N.;
[Microelectronic Test Structures, 2004. Proceedings. ICMTS '04. The International Conference on](#)
22-25 March 2004 Page(s):23 - 28
[AbstractPlus](#) | Full Text: [PDF](#)(563 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Intense electron beam propagation by charge neutralization from a dielectric collimator**
Vijayan, T.; Roychowdhury, P.; Iyyengar, S.K.;
[Plasma Science, IEEE Transactions on](#)
Volume 22, Issue 2, April 1994 Page(s):199 - 204
Digital Object Identifier 10.1109/27.279023
[AbstractPlus](#) | Full Text: [PDF](#)(464 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **2003 Symposium on VLSI Technology. Digest of Technical Papers (IEEE Cat. No.03CH37407)**
[VLSI Technology, 2003. Digest of Technical Papers, 2003 Symposium on](#)
10-12 June 2003
[AbstractPlus](#) | Full Text: [PDF](#)(461 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 6. **"SIG-NABOUT"-the development and trial of a novel junction design**
Webb, P.J.;
[Road Traffic Monitoring and Control, 1994., Seventh International Conference on](#)
26-28 Apr 1994 Page(s):106 - 110
[AbstractPlus](#) | Full Text: [PDF](#)(232 KB) IET CNF

Scholar All articles Recent articles

Results 1 - 10 of about 34 for **flare simulation opc**. (0.11 seconds)

All Results

[A Erdmann](#)

[M McKean](#)

[A Ray-Chaudhuri...](#)

[R Winglee](#)

[G Dulk](#)

Model-based OPC/DRC considering local flare effects - group of 3 »

H Futatsuya, T Yao, M Osawa, K Ogino, H Hoshino, H ... - Proceedings of SPIE, 2004 - link.aip.org
... including local **flare** effects, and its results. The **simulation** results show good agreement with the experimental results, indicating that effective **OPC/DRC** ...

[Web Search](#)

New process models for OPC at sub-90-nm nodes - group of 6 »

Y Granik, NB Cobb - Proceedings of SPIE, 2003 - perso.enst-bretagne.fr
... Optical **flare** CMPnon- uniformity Illuminator optics ... Outside of the modeling range, the target bias **OPC** will be used PRINTimage **simulation** contours Figure 10. ...

Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Relevance of TCAD to process-aware design - group of 6 »

VK Singh, J Garcia-Colevatti - Proceedings of the SPIE, 2002 - uos.ac.kr
... Impact of aberrations on design - Layout dependent **flare** in EUV ... **simulation** Page 20.
TCAD ... models to build/strengthen **OPC** models Complexity Run time Aerial ...

Cited by 1 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Relevance of technology computer aided design (TCAD) to process-aware design

V Singh, J Garcia-Colevatti - Journal of Microlithography, Microfabrication, and ..., 2002 - link.aip.org
... with one of the areas within TCAD, lithography **simulation**. ... In addition to **OPC** and the short-range effects ... such effects are lens aberrations and **flare**, with the ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

Transistor flaring in deep submicron-design considerations - group of 5 »

V Singhal, CB Keshav, KG Sumanth, PR Suresh - Design Automation Conference, 2002. Proceedings of ASP-DAC ..., 2002 - ieeexplore.ieee.org

... 4.1 Designing out **flares**- A solution for high ... Our analysis with statistical **simulation** results showed that we ... Most **OPC** based corrective schemes, which involve ...

[Related Articles](#) - [Web Search](#)

Limits of strong phase-shift patterning for device research - group of 7 »

M Fritze, RD Mallen, B Wheeler, D Yost, JP Snyder, ... - Proceedings of SPIE, 2003 - photonics.com
... test cells, no clear influence of long range **flare** ... Fig 6: IC Workbench aerial image **simulation** of transistor gate with and without **OPC** described in ...

Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Propagation and absorption of electron-cyclotron maser radiation during solar flares - group of 4 »

ME McKean, RM Winglee, GA Dulk - Solar Physics, 1989 - Springer
... could provide the heating necessary to explain some soft X-ray features observed in solar **flares**. ... $\theta = 90^\circ$, $\text{opc}/12^\circ = 0.3$, $\text{oph}/2^\circ = 0.03$, and $L_s = 105 \text{ km}$

Cited by 30 - [Related Articles](#) - [Web Search](#)

Potential issues on optical proximity correction (OPC) using double dipole lithography

TB Chiou, S Hsu, M Eurlings, E Hendrickx, A Chen - Microprocesses and Nanotechnology Conference, 2004. Digest ..., 2004 - ieeexplore.ieee.org

... to describe the short- and mid-range **flare** as a ... be used as an input parameter in the lithography **simulator**. ... is able to improve the accuracy of **OPC** calibration. ...

[Related Articles](#) - [Web Search](#)

Comparison of simulation approaches for chemically amplified resists - group of 5 »

A Erdmann, W Henke, S Robertson, E Richter, B ... - Proc. SPIE, 2001 - sigma-c.de

Scholar [All articles](#) [Recent articles](#)

Results 1 - 10 of about 97 for **flare opc**. (0.18 seconds)

All Results

[R Winglee](#)

[G Dulk](#)

[B Lin](#)

[M McKean](#)

[M Endl](#)

[Correction for local flare effects approximated with double Gaussian profile in ArF lithography - group of 4 »](#)

M Osawa, T Yao, H Aoyama, K Ogino, H Hoshino, Y ... - Journal of Vacuum Science & Technology B: Microelectronics ..., 2003 - link.aip.org

... to local flare intensity and is independent of pattern layout considering the order of the local flare correction (LFC) and optical proximity correction (OPC). ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Model-based OPC/DRC considering local flare effects - group of 3 »](#)

H Futatsuya, T Yao, M Osawa, K Ogino, H Hoshino, H ... - Proceedings of SPIE, 2004 - link.aip.org

... OPC/DRC using this method is possible. Model-based OPC/DRC considering local flare effects. [Proceedings of SPIE 5377, 451 (2004)]. ...

[Web Search](#)

[\[CITATION\] Model-based OPC/DRC considering local flare effects \[5377-40\]](#)

H Futatsuya, T Yao, M Osawa, K Ogino, H Hoshino, H ... - PROCEEDINGS-SPIE THE INTERNATIONAL SOCIETY FOR OPTICAL ..., 2004 - International Society for Optical Engineering; 1999

[Web Search](#) - [BL Direct](#)

[Investigation of stray light characteristic by multiple Gaussian modeling and its OPC application - group of 3 »](#)

HC Kim, DS Nam, GS Yeo, SJ Lee, SG Woo, HK Cho, WS ... - Proceedings of SPIE, 2004 - link.aip.org

... scattering range characteristic of flare. To minimize CD errors from OPC, flare level and EOR should be considered in the OPC procedure. ...

[Web Search](#)

[Relevance of TCAD to process-aware design - group of 6 »](#)

VK Singh, J Garcia-Colevatti - Proceedings of the SPIE, 2002 - uos.ac.kr

... Focus on aspects of Lithography - Design coupling - Some challenges in OPC - Impact of aberrations on design - Layout dependent flare in EUV ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[... of techniques to measure the point spread function due to scatter and flare in EUV lithography ... - group of 4 »](#)

M Chandhok, SH Lee, CG Krautschik, G Zhang, BJ ... - Proceedings of SPIE, 2004 - spie.org

... expected that to meet the CD control requirements for the 32 nm node, Flare Variation Compensation (FVC), akin to Optical Proximity Correction (OPC) would be ...

[Cited by 4](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Test structure for fixing OPC of 200 nm pitch via chain using inner and outer dummy via array - group of 2 »](#)

T Nasuno, Y Matsubara, A Minami, N Uchida, H ... - Microelectronic Test Structures, 2004. Proceedings. ICMTS'04 ..., 2004 - ieeeexplore.ieee.org

... width and length of dummy patterns are shrunk drastically by OPE and local flare effect. However, inner pattern can be protected. In the case of OPC A, length ...

[Related Articles](#) - [Web Search](#)

[New process models for OPC at sub-90-nm nodes - group of 6 »](#)

Y Granik, NB Cobb - Proceedings of SPIE, 2003 - perso.enst-bretagne.fr

... hard because the flare has long interaction range, which results in the destruction of the design hierarchy and consequential explosion of OPC runtime. ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Scholar All articles Recent articles

Results 1 - 10 of about 18 for **flare calculation opc**. (0.14 seconds)

All Results

[M Endl](#)

[F Rouesnel](#)

[S Els](#)

[A Kaufer](#)

[S Brillant](#)

Correction for local **flare** effects approximated with double Gaussian profile in ArF lithography - group of 4 »

M Osawa, T Yao, H Aoyama, K Ogino, H Hoshino, Y ... - Journal of Vacuum Science & Technology B: Microelectronics ..., 2003 - link.aip.org

... The CD variation due to local **flare** was reduced from 22 ... GB of memory each) were used to **calculate** each process ... processing times are much faster than the **OPC** ones ...

Cited by 1 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Propagation and absorption of electron-cyclotron maser radiation during solar flares - group of 4 »

ME McKean, RM Winglee, GA Dulk - Solar Physics, 1989 - Springer

... to explain some soft X-ray features observed in solar **flares**. ... $0 = 90$, **opc**/12 e = 0.3, $\text{oph}/2 \text{ e} = 0.03$... Plotted are: Equation (11) (solid line) and numerical ...

Cited by 30 - [Related Articles](#) - [Web Search](#)

Relevance of TCAD to process-aware design - group of 6 »

VK Singh, J Garcia-Colevatti - Proceedings of the SPIE, 2002 - uos.ac.kr

... ò Focus on aspects of Lithography – Design coupling – Some challenges in **OPC** – Impact of aberrations on design – Layout dependent **flare** in EUV ...

Cited by 1 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Orientation dependent shielding for use with dipole illumination techniques

DFUSUS HSU, NUS CORCORAN, JFUS CHEN - EP Patent 1,385,052, 2004 - freepatentsonline.com

... and horizontal mask patterns and application of **OPC** techniques as ... The percentage of **flare** was calculated using the following equation: Straylight % = E_0 ...

[Cached](#) - [Web Search](#)

High numerical aperture lithographic imagery at the Brewster angle

TA Brunner, N Seong, WD Hinsberg, JA Hoffnagle, FA ... - Journal of Microlithography, Microfabrication, and ..., 2002 - link.aip.org

... by the pupil edge, defocus effects, image **flare** effects, stage ... mask will need more accurate **calculation** than that ... for optical proximity correction (**OPC**) methods ...

Cited by 7 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

The low-level radial velocity variability in Barnard's star (= GJ 699) - group of 5 »

M Kürster, M Endl, F Rouesnel, S Els, A Kaufer, S ... - A&A, 2003 - aanda.org

... For all data used in our **calculation** (Hip = Hipparcos, Nid = Nidever et al. ... H index (middle spectrum offset by 0.5 flux units), and the **flare** event (upper ...

Cited by 22 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#)

The low-level radial velocity variability in Barnard's star (= GJ 699) - group of 6 »

M Kurster, M Endl, F Rouesnel, S Els, A Kaufer, S ... - A&A, 2003 - edpsciences.org

... For all data used in our **calculation** (Hip = Hipparcos, Nid = Nidever et al. ... H α index (middle spectrum offset by 0.5 flux units), and the **flare** event (upper ...

Cited by 18 - [Related Articles](#) - [Web Search](#)

Enhancements in rigorous simulation of light diffraction from phase-shift masks - group of 4

»

A Erdmann, N Kachwala - Proc. SPIE, 2002 - sigma-c.de

... thin masks there is no necessity to perform a new **calculation** of the ... This occurs for subresolution features on optical proximity corrected (**OPC**) masks, for ...

Cited by 4 - [Related Articles](#) - [Web Search](#)

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((flar<and>opc)) <and> (pyr >= 1964 <and> pyr <= 2004)"

Your search matched 8 of 1513808 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 e-mail  printer friendly

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((flar<and>opc)) <and> (pyr >= 1964 <and> pyr <= 2004)

Search >


☐ Check to search only within this results set

Display Format:

☒ Citation

☐

Citation & Abstract

 **view selected items**

Select All Deselect All

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

- ☐ **1. Test structure for fixing OPC of 200 nm pitch via chain using inner and outer dummy via array**
 Nasuno, T.; Matsubara, Y.; Minami, A.; Uchida, N.; Kobayashi, H.; Aoyama, H.; Tsuda, H.; Tsujita, K.; Wakamiya, W.; Kobayashi, N.;
[Microelectronic Test Structures, 2004. Proceedings. ICMTS '04. The International Conference on](#)
 22-25 March 2004 Page(s):23 - 28
[AbstractPlus](#) | Full Text: [PDF\(563 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **2. Transistor flaring in deep submicron-design considerations**
 Singhal, V.; Keshav, C.B.; Sumanth, K.G.; Suresh, P.R.;
[Design Automation Conference, 2002. Proceedings of ASP-DAC 2002. 7th Asia and South Pacific and the 15th International Conference on VLSI Design. Proceedings.](#)
 7-11 Jan. 2002 Page(s):299 - 304
 Digital Object Identifier 10.1109/ASPAC.2002.994938
[AbstractPlus](#) | Full Text: [PDF\(1113 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **3. FPGA as Process Monitor-an effective method to characterize poly gate CD variation and its impact on product performance and yield**
 Xiao-Yu Li; Feng Wang; La, T.; Zhi-Min Ling;
[Semiconductor Manufacturing, IEEE Transactions on](#)
 Volume 17, Issue 3, Aug. 2004 Page(s):267 - 272
 Digital Object Identifier 10.1109/TSM.2004.831934
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1080 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **4. A redundancy method of AS traffic in signaling gateway using loadsharing scheme**
 Hyunjeong Lee; Byungsun Lee;
[Advanced Communication Technology, 2004. The 6th International Conference on](#)
 Volume 2, 2004 Page(s):833 - 837
 Digital Object Identifier 10.1109/ICACT.2004.1292986
[AbstractPlus](#) | Full Text: [PDF\(394 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **5. An effective method of characterization poly gate CD variation and its impact on product performance and yield**
 Xiao-Yu Li; Feng Wang; Tho La; Zhi-Min Ling; Ji-Fu Kung; Wang, M.H.; Hong Nan Chen; Chia-Pin Lee;
[Semiconductor Manufacturing, 2003 IEEE International Symposium on](#)
 30 Sept.-2 Oct. 2003 Page(s):259 - 262
[AbstractPlus](#) | Full Text: [PDF\(405 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **6. A pattern matching system for linking TCAD and EDA**
 Gennari, F.E.; Neureuther, A.R.;
[Quality Electronic Design, 2004. Proceedings. 5th International Symposium on](#)

SPIE—The International Society for Optical Engineering

My SPIE Subscription | My E-mail Alerts | My Article Collections

Home » Advanced Search » Search Results

SEARCH DIGITAL LIBRARY

[Back to Search Query | Start New Search | Searching Hints]

Search

Advanced Search

BROWSE PROCEEDINGS

- ☒ Proceedings
 - ☐ By Year
 - ☐ By Symposium
 - ☐ By Volume No.
 - ☐ By Volume Title
 - ☐ By Technology

BROWSE JOURNALS

- ☒ Journals
 - ☐ Optical Engineering
 - ☐ J. Electronic Imaging
 - ☐ J. Biomedical Optics
 - ☐ J. Micro/Nanolithography, MEMS, and MOEMS
 - ☐ J. Applied Remote Sensing
 - ☐ J. Nanophotonics

SUBSCRIPTIONS & PRICING

- ☒ Institutions & Corporations
- ☒ Personal subscriptions

GENERAL INFORMATION

- ☒ About the Digital Library
- ☒ Terms of Use
- ☒ SPIE Home

Search Results

You were searching for : (flare) **ETS** ²

You found 368 out of 233957 (368 returned)
Documents 1 - 25 listed on this page

Refine your query if desired:

AND

in

Refine

Results Sorting Options

Relevance Order

Re-sort

[Related SPIE Products]

[1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | Next 25 | More Results]

97%

1. ☐ **Effectiveness and confirmation of local area flare measurement method in various pattern layouts**
Dongseok Nam, Eunmi Lee, Sung-gon Jung, Young S. Kang, Gisung Yeo, Junghyun Lee, Hanku Cho, Woo-Sung Han, and Joo-Tae Moon
Proc. SPIE **4691**, 57 (2002) **Full Text:** [PDF (803 kB)] (10 pages)

94%

2. ☐ **Anisotropic EUV flare measured in the engineering test stand (ETS)**
Sang Hun Lee, Manish Chandhok, Christof Krautschik, and Michael Goldstein
Proc. SPIE **5374**, 818 (2004) **Full Text:** [PDF (76 kB)] (6 pages)

94%

3. ☐ **Across field and across wafer flare: from KrF stepper to ArF scanner**
Yorick Trouiller, Emmanuelle Luce, Alexandra Barberet, L. Depre, and Patrick Schiavone
Proc. SPIE **4000**, 880 (2000) **Full Text:** [PDF (4632 kB)] (12 pages)

93%

4. ☐ **Model-based OPC/DRC considering local flare effects**
Hiroki Futatsuya, Teruyoshi Yao, Morimi Osawa, Kozo Ogino, Hiromi Hoshino, Hiroshi Arimoto, Yasuhide Machida, and Satoru Asai
Proc. SPIE **5377**, 451 (2004) **Full Text:** [PDF (187 kB)] (8 pages)

92%

5. ☐ **Measurement of the flare and in-field linewidth variation due to the flare**
Tae Moon Jeong, Seong-Woon Choi, Sang-Gyun Woo, Woo-Sung Han, and Jung-Min Sohn
Proc. SPIE **4691**, 1465 (2002) **Full Text:** [PDF (463 kB)] (9 pages)

92%

6. ☐ **Comparison of techniques to measure the point spread function due to scatter and flare in EUV lithography systems**
Manish Chandhok, Sang H. Lee, Christof G. Krautschik, Guojing Zhang, Bryan J. Rice, Michael Goldstein, Eric Panning, Robert Bristol, Alan R. Stivers, and Melissa Shell
Proc. SPIE **5374**, 854 (2004) **Full Text:** [PDF (100 kB)] (7 pages)

91%

7. ☐ **Measuring and modeling flare in optical lithography**
Chris A. Mack
Proc. SPIE **5040**, 151 (2003) **Full Text:** [PDF (88 kB)] (11 pages)

90%

8. ☐ **Flare effect of different shape of illumination apertures in 193nm optical lithography system**
Young-Je Yun, Ju-Hyung Moon, Haeng-Leem Jeon, Jea-Hee Kim, and Keeho Kim
Proc. SPIE **6154**, 615435 (2006) **Full Text:** [PDF (531 kB)] (7 pages)

SEARCH DIGITAL LIBRARY

[\[Back to Search Query\]](#) | [Start New Search](#) | [Searching Hints](#)

Search

Advanced Search

BROWSE PROCEEDINGS

- ☒ Proceedings
 - ☐ By Year
 - ☐ By Symposium
 - ☐ By Volume No.
 - ☐ By Volume Title
 - ☐ By Technology

BROWSE JOURNALS

- ☒ Journals
 - ☐ Optical Engineering
 - ☐ J. Electronic Imaging
 - ☐ J. Biomedical Optics
 - ☐ J. Micro/Nanolithography, MEMS, and MOEMS
 - ☐ J. Applied Remote Sensing
 - ☐ J. Nanophotonics

SUBSCRIPTIONS & PRICING

- ☒ Institutions & Corporations
- ☒ Personal subscriptions

GENERAL INFORMATION

- ☒ About the Digital Library
- ☒ Terms of Use
- ☒ SPIE Home

Search Results

You were searching for : (flare) <and> (model* <IN> (abstract,title,keywords)) [RSS](#) [?](#)

You found 91 out of 368 (91 returned)
Documents 51 - 75 listed on this page

Refine your query if desired:

AND

in Abstract/Title/Keywords Refine

Results Sorting Options

Relevance Order

Re-sort

[Related SPIE Products]

[Previous 25 | 1 | 2 | 3 | 4 | Next 25]

77%

51. ☐ **Assessing the impact of real world manufacturing lithography variations on post-OPC CD control**

John L. Sturtevant, J. Word, P. LaCour, J. W. Park, and D. Smith
Proc. SPIE **5756**, 240 (2005) Full Text: [PDF (214 kB)] (15 pages)

77%

52. ☐ **Optimization of epitaxial layer design for high brightness tapered lasers**
J. M. G. Tijero, D. Rodriguez, L. Borruel, S. Sujecki, E. C. Larkins, and I. Esquivias
Proc. SPIE **5722**, 280 (2005) Full Text: [PDF (245 kB)] (8 pages)

77%

53. ☐ **Modeling countermeasures to imaging infrared seekers**
Laurence J. Cox, Michael A. Batten, Stephen R. Carpenter, and Philip A. B. Saddleton
Proc. SPIE **5615**, 112 (2004) Full Text: [PDF (462 kB)] (8 pages)

77%

54. ☐ **Bandwidth characteristics of corrugated waveguide-horn feeds for CMB experiments**
Emily Gleeson, William Lanigan, J. Anthony Murphy, Creidhe O'Sullivan, Bruno Maffei, Sarah E. Church, and Eoin Cartwright
Proc. SPIE **5498**, 713 (2004) Full Text: [PDF (257 kB)] (12 pages)

77%

55. ☐ **New concepts in OPC**
Nick Cobb and Yuri Granik
Proc. SPIE **5377**, 680 (2004) Full Text: [PDF (334 kB)] (11 pages)

77%

56. ☐ **Accurate gate CD control through the full-chip area using the dual model in the model-based OPC**
Ji-Suk Hong, Chul-Hong Park, Dong-Hyun Kim, Soo-Han Choi, Yong-Chan Ban, Yoo-Hyon Kim, Moon-Hyun Yoo, and Jeong-Taek Kong
Proc. SPIE **5377**, 571 (2004) Full Text: [PDF (225 kB)] (10 pages)

77%

57. ☐ **Evaluation of the critical dimension control requirements in the ITRS using statistical simulation and error budgets**
Scott D. Hector, Sergei V. Postnikov, and Jonathan Cobb
Proc. SPIE **5377**, 555 (2004) Full Text: [PDF (193 kB)] (16 pages)

77%

58. ☐ **Development of an accurate empirical model for ArF lithography**
Shoji Mimotogi, Daisuke Kawamura, Takashi Sato, and Soichi Inoue
Proc. SPIE **5377**, 1405 (2004) Full Text: [PDF (136 kB)] (8 pages)